SSRA COVI		Au	ghton Auton	nation – Head Office				AUGHTON AUTO	M.	\T	IO	N
Site Add	dress:	115 Evans F	Road, Venture E	Business Park, Liverpool L	24 9	PB		16 Pages				
Date Prepare	d	13-05-		Supporting Documentation: See "Further Actions" Below		thod teme	nt	Date Reviewed		13-1(onthly		
Project Mana	ger		Keith Cor	coran	Ass	sesso	ors	Michael	Latch	ford		
Existing Meas	sures Taken	to Control Risk	s from the Hazard	1	Ris	sk Sc 1- 5		Controls required to allow task to start /continue		esidu Scor		
1	2	3	4	5	6	7	8	9	10	11	12	13
Hazard (something with the potential to cause harm)	Hazard Cause (how will the hazard be realised)	Hazard Effect (the potential injury sustained)	Who (who may be at risk during the activity)	Existing Control Measures	Consequence	Likelihood	Risk Rating	Further Control Measures	Consequence	Likelihood	Risk Rating	Acceptance
Reception Area Spread of COVID - 19	Virus contact through surfaces, through not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Visitors, Cleaners, Drivers, Contractors and Sub-contractors	Social Distancing in operation Increased hand washing Reduced number of people/ personnel in reception at any one time. Vulnerable personnel given special attention (work from home, different job) Staggering arrival and departure times of any Clients and Visitors Use of face masks when moving between other office/work areas until the end location is reached All visitors to the premises will undergo a temperature check and be asked to fill out a health questionnaire on arrival	5	3	15	Social distancing markers on floor (2 metres) Sanitizing wipes, sprays available on arrival. Any activity kept as short as possible Signs advising of hand washing and distancing. Encourage staff to report any problems All surfaces frequently cleaned and sanitised including high use items for example door handles and light switches If distancing can't be maintained PPE should be used mask, gloves Under emergency procedures the nearest exits must be used as indicated Stay Alert!!	5	1	5	Y

Design office Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Visitors, Cleaners, Drivers, Sub-contractors	Design office workers should enter through front door and go directly up stairs to avoid walking through reception and the canteen Social Distancing in operation Increased hand washing Any activity time involved as short as possible Multiple entrances for other personnel Remove the need to hot desk Reduce movement between areas of the building Use of face masks when moving between other office/work areas until the end location is reached	5	3	15	Social distancing markers on floor (2 metres) Sanitizing wipes, sprays available on arrival placed in each room Using back to back or side to side working rather than face to face Reduce the number of personnel in the office at any one time All personnel who can work from home do so All desks, computers etc cleaned on a regular basis Review work layout plans if needed If distancing can't be maintained PPE should be used mask, gloves Stay Alert!!	5	1	5	Y
First Floor Offices Accountants/ CPD Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Visitors, Cleaners	First floor office workers should enter through side door and go directly up the stairs to avoid walking through reception and the canteen Staggered working introduced Social Distancing in operation Increased hand washing Any activity time involved as short as possible Multiple entrances for other personnel Remove the need to hot desk Reduce movement between areas of the building Use of face masks when moving between other office/work areas until the end location is reached	5	3	15	Social distancing markers on floor (2 metres) Sanitizing wipes, sprays available on arrival placed in each room Using back to back or side to side working rather than face to face Reduce the number of personnel in the office at any one time All personnel who can work from home do so All desks, computers etc cleaned on a regular basis If distancing can't be maintained PPE should be used mask, gloves Review work layout plans if needed Stay Alert!!	5	1	5	Y

SSRA COV		Au	ghton Autor	nation – Head Office				AUGHTON AUT	DM/	AT	IO	
Site Add	dress:	115 Evans F	Road, Venture I	Business Park, Liverpool L	.24 9	PB		16 Pages				
Ground floor front offices Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Cleaners, Visitors	Ground floor office personnel enter through front door Social Distancing in operation Increased hand washing All work stations assigned to individuals Signs placed advising of hand washing and social distancing Reduce movement between areas of the building Staggered working introduced Use of face masks when moving between other office/work areas until the end location is reached	5	3	15	Social distancing markers on floor (2 metres) Sanitizing wipes, sprays available in all rooms . Using back to back or side to side working rather than face to face Reduce the number of personnel in the office at any one time All personnel who can work from home do so All desks, computers etc cleaned on a regular basis If distancing can't be maintained PPE should be used mask, gloves Markers on desk that should not be used Stay Alert !!		1	5	

Refectory Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Cleaners, Drivers, Visitors, Sub-contractors,	Social Distancing in operation Increased hand washing Number of personnel allowed in canteen at any one time limited to 4 Signs placed advising of hand washing and social distancing Markers on tables and chairs that should not be used Use of face masks when moving between other office/work areas until the end location is reached	5	3	15	Social distancing 2 metre markers on floor Sanitizing wipes, sprays available on arrival Staggered break times to allow no more than 4 personnel in the canteen All personnel to use and wash own utensils and cutlery If distancing can't be maintained PPE should be used mask, gloves Encourage all personnel to bring their own food and drink to avoid cross contamination Remove water machines to stop hand to mouth contamination Stay Alert!!	5	1	5	Y
Toilets Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Cleaners, Visitors, Drivers, Contractors, Sub- contractors	Social Distancing in operation Increased hand washing Downstairs toilets strictly for personnel on the ground floor Upstairs Toilets to be used by first floor personnel Disabled toilets to be used for disabled personnel all handles etc wiped clean on a regular basis Cleaning personnel to be involved in all site requirements and communications Use of face masks when moving between other office/work areas until the end location is reached	5	3	15	All toilets to be cleaned twice daily with "sign- off" sheets to be filled in morning and afternoon 2 metre Social Distancing markers to be applied on floor area Signs posted advising of hand washing If distancing can't be maintained PPE should be used mask, gloves Stay Alert!!	5	1	5	Y

SSRA COV	/AAL/ ID-19	Au	ghton Autor	mation - Head Office				AUGHTON AUTO	M.	\T	IO	N
Site Add	dress:	115 Evans F	Road, Venture I	Business Park, Liverpool L	24 9	РВ		16 Pages				
Calibration Laboratory & Office Area Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Cleaners, Visitors, Drivers	Ground floor back office personnel enter through side door Social Distancing in operation Increased hand washing All work stations assigned to individuals Signs placed advising of hand washing and social distancing Reduce movement between areas of the building Use of face masks when moving between other office/work areas until the end location is reached Stay alert	5	3	15	2 metre Social Distancing markers to be applied on floor area Sanitizing wipes, sprays available in all rooms . Using back to back or side to side working rather than face to face Reduce the number of personnel in the office at any one time All personnel who can work from home do so All desks, computers etc cleaned on a regular basis If distancing can't be maintained PPE should be used mask, visors and gloves Markers on desk that should not be used Stay Alert!!	5	1	5	

Construction/ Project offices Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Visitors, Cleaners, Contractors, Sub-contractors	Ground floor back office personnel enter through side door Social Distancing in operation Increased hand washing All work stations assigned to individuals Signs placed advising of hand washing and social distancing Reduce movement between areas of the building Use of face masks when moving between other office/work areas until the end location is reached Stay alert	5	3	15	Social distancing markers on floor Sanitizing wipes, sprays available in all rooms . Using back to back or side to side working rather than face to face Reduce the number of personnel in the office at any one time All personnel who can work from home do so All desks, computers etc cleaned on a regular basis If distancing can't be maintained PPE should be used mask, gloves Markers on desk that should not be used Stay Alert!!	5	1	5	Y
Workshop/Test bays Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Visitors, Cleaners, Contractors, Sub-contractors	Ground floor personnel enter through side door Social Distancing in operation Increased hand washing Teams working in the workshop should be encouraged to stay together reducing contact time with other personnel Restrict movement between other areas of the building Reduce job location/ rotation Personnel working in kiosks/confined spaces should be working alone otherwise the use of PPE masks/gloves are essential Use of face masks when moving between other office/work areas until the end location is reached	5	3	15	Ensure all personnel use own equipment, tools etc. Encourage all personnel to bring their own lunch food etc. Signs placed advising of hand washing and social distancing If distancing can't be maintained PPE should be used mask, visors and gloves Staggered canteen breaks in operation Keep all tools materials close to the job/task at hand to avoid unnecessary movement in the workshop Staggered start times Stay Alert!!	5	1	5	Y

SSRA/ COVI		Au	ghton Autor	nation - Head Office				AUGHTON AUTO	M	AT	IO	N
Site Add	dress:	115 Evans F	Road, Venture I	Business Park, Liverpool L	24 9	РВ		16 Pages				
Conference Rooms Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Visitors, Cleaners, Contractors, Sub-contractors	Upstairs Conference rooms should be accessed through the main front door and go directly up the stairs to avoid walking through reception or refectory areas. Ground floor Conference Room can be accessed through reception area. Social Distancing in operation Increased hand washing Any activity time involved as short as possible Sanitizer/hand wipes available on arrival and in rooms Only absolutely necessary participants should attend on site meetings Limit the number of visitors at any one time Any communal phones need to be cleaned on a regular basis Use of face masks when moving between other office/work areas until the end location is reached Essential visitors only onsite	5	3	15	2 metre Social Distancing in force in all Conference Areas Use remote meetings to avoid person to person meetings Avoid transmission during meetings do not share pens and other objects within the meeting Hold meetings in a well-ventilated area/room where possible Hand sanitising facilities in all Conference Rooms In the event of any emergency the escape plan for the building takes precedent over the 2-metre rule All conference rooms shall be limited to 6 participants ant any one time Consider floor plans for seating Limit visit to a specific time window Stay Alert!!	5	1	5	Υ

Stores/Hire /Deliveries Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Visitors, Cleaners, Contractors, Sub-contractors	Social Distancing in operation Increased hand washing Essential wearing of gloves when receiving any materials goods from outside vendors Minimise contact with outside personnel Ask drivers to drop the item, material etc. and leave without contact If distancing can't be maintained PPE should be used mask, gloves Encourage drivers to stay in their vehicles where this does not compromise safety and safe working practice Use of face masks when moving between other office/work areas until the end location is reached	5	3	15	Maintain the same person concerning deliveries from certain suppliers Encourage personnel to report any health, skin problems etc. Rigorous checks to ensure procedures are being carried out If possible, wipe down deliveries with a bacterial wipe. Hold new deliveries in a containment area for a period of time if possible Ensure companies delivering to our premises are aware of our procedures Consider methods to reduce frequency of deliveries, order more etc. If possible one worker load and unload any vehicle Stores will be manned by the same member of personnel throughout each day to avoid unnecessary contact from different members of the team Stay Alert!!	5	1	5	Y
Vehicles Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Drivers/Personnel	Social Distancing in operation Increased hand washing Minimise non-essential travel consider remote options first Minimise the number of personnel travelling together in any one vehicle, used fixed travel partners. Put windows down if possible, to increase ventilation and avoid sitting face to face Contactless refuelling cards Limit exposure to large crowds and rush hours Use of face masks when moving between other office/work areas until the end location is reached Ensure drivers clean the interiors of their own vehicles	5	3	15	If travelling in a vehicle with more than one person in the vehicle face masks and gloves should be worn. Reduce the distant travelled if possible Ensure vehicles are cleaned on a regular basis. Provide clear, consistent and regular communication to improve understanding and consistency of ways of working Pre-agreed drop off points Hand sanitizer and wipes in vans Fixed pairings in any vehicle should be considered When parking vehicles or cycles it is essential that thought is given to situational distancing Stay Alert!!	5	1	5	Y

SSRA/AAL/ COVID-19	Au	ghton Autor	mation – Head Office				AUGHTON AUTO	M.	\T	IO	N
Site Address:	115 Evans I	Road, Venture	Business Park, Liverpool L	.24 9	PB		16 Pages				
First Aid During COVID- 19 First Aid During could distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	First Aider/Personnel	Try to assist from a safe distance from the casualty. Minimise the time you share in the breathing zone. If capable advise the person to complete certain things for the first aider, treating the injured person correctly must be the first concern 3P MODEL, Preserve life, prevent worsening and promote recovery Discard disposable items correctly Wash hands properly after being in contact with injured person Sanitize hands on a regular basis	5	3	15	Call 999 immediately – tell the call handler if the patient has any COVID-19 symptoms Ask for help. If a portable defibrillator is available, ask for it. Before starting CPR, to minimise transmission risk Use a cloth or towel to cover the patient's mouth and nose, while still permitting breathing to restart following successful resuscitation. If available, use: - a fluid-repellent surgical mask - disposable gloves - eye protection - apron or other suitable covering Only deliver CPR by chest compressions and use a defibrillator (if available) – do not do rescue breaths PREVENT WORSENING, PROMOTE RECOVERY – all injuries or illnesses If you suspect a serious illness or injury, call 999 immediately – tell the call handler if the patient has any COVID-19 symptoms. If giving first aid to someone, you should use the recommended equipment listed above if it is available. You should minimise the time you share a breathing zone with the casualty and direct them to do things for you where possible. Ensure you safely discard disposable items (disposing of them as contaminated items) and clean reusable ones thoroughly. Wash your hands thoroughly with soap and water or an alcohol-based hand sanitiser as soon as possible.	5	2	10	Y
\$RA/AAL/Covid-19											

All Personnel Classed as Extremely Vulnerable Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2-14 days typically around 5 days	All personnel	Extremely Vulnerable personnel include but are not limited to: Organ Transplant Chemotherapy or antibody treatment for cancer including immunotherapy Are having intense course of radiotherapy for lung cancer Having targeted cancer treatments that can affect the immune system (such as kinase inhibitors or PARP inhibitors) Have a blood or bone marrow cancer (such as leukaemia, lymphoma or myeloma) Have had bone marrow or stem cell transplant in the past 6 months, or are still taking immunosuppressant medicine Have been told by a doctor they have severe lung condition (such as cystic fibrosis, severe asthma or COPD) Have condition that means they have a very high risk of getting infections (such as SCID or sickle cell) Are taking medicine that makes them much more likely to infection (such as doses of steroids) Have serious heart condition and are pregnant	5	5	25	Always impose a minimum of 2 metre Social Distancing. If you are at high risk from Corvi-19 you should have received a letter form the NHS Speak to your GP or hospital care team if you have not been contacted or think you should have been Take extra care to protect yourself Do not leave home for any reason (Shielding) Follow Government and NHS guidelines Stay Alert!!	5	2	10	Υ
---	---	---	---------------	---	---	---	----	---	---	---	----	---

SSRA/AAL/ COVID-19	Aughton Aut	omation – Head Office		AUGHTON AUTO	M	\T	[0	N
Site Address:	115 Evans Road, Ventur	e Business Park, Liverpool L24 9P	В	16 Pages				
All Personnel Classed as Clinically Vulnerable Spread of COVID - 19 COVID - 19 Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, Moderate, severe or fatal Symptoms include — shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Clinically Vulnerable personnel include but are not limited to: People 70 or older Personnel who are pregnant Have a lung condition that's not severe (such as asthma, COPD, emphysema or bronchitis) Have heart Disease (such as heart failure) Have diabetes Chronic kidney disease Liver failure (such as hepatitis) Have a condition affecting the brain or nerves (such as Parkinson's disease, motor neurone disease, multiple sclerosis or cerebral palsy) Have a condition that means they have a high risk of getting infections Are taking medicine that can affect the immune system (such as low doses of steroids) Are very obese (a BMI of 40 or above)	5 25	Follow advice on Social distancing Stay at home as much as possible, but if you can go out to work (if you can't work from home) exercise and food Increased Handwashing Staggered start times Use of PPE mask, gloves Sanitizing wipes, sprays available in all rooms Using back to back or side to side working rather than face to face Reduce the number of personnel in the office at any one time Teams working in the workshop should be encouraged to stay together reducing contact time with other personnel Restrict movement between other areas of the building Reduce job location/ rotation All personnel to use and wash own utensils and cutlery Do not touch your eyes, nose or mouth if your hands are not clean Follow Government and NHS guidelines Stay Alert!!	5	N	10	Υ

Moderate risk of developing complications from coronavirus (COVID-19) infection Patients are at moderate risk of developing complications from coronavirus (COVID-19) where: They meet the criteries that make the control results of the control results	possible, but if you can't work ood vailable in all to side working sonnel in the sshop should be er reducing ronnel en other areas of on rash own utensils ose or mouth if	5	2	10	D	Y		
---	---	---	---	----	---	---	--	--

SSRA/AAL/ COVID-19	Aughton Automation – Head Office	AUGHTON AUTOMATION		
Site Address:	115 Evans Road, Venture Business Park, Liverpool L24 9PB	16 Pages		

ALL THE BELOW ARE ALSO EXSITING MEASURES THAT HAVE BEEN IMPLEMNETED THROUGHOUT THE COMPANY

Symptoms of COVID – 19 – If anyone becomes unwell with a new continuous cough or a high temperature in the workplace they will be sent home immediately and advised to follow the stay at home guidance, line manager will maintain regular contact with the staff member during this time.

If advised that a member of staff, public or a visitor has developed COVID-19 and where recently on our premises (including where a member of staff has visited other workplaces premises such as domestic premises the management team of the workplace will contact the Public health authority to discuss the case and identify people who have been in contact with them and will take advice on any actions or precautions that should be taken

All emergency procedures are still in operation as usual regardless of COVID-19

Further DSE risk assessments have been completed on all home working personnel

It is essential that all office space/workshop remain well ventilated whilst occupied, further to recent government advice air conditioning units are now allowed to be used within the working environment please view the link attached - https://www.hse.gov.uk/coronavirus/equipment-and-machinery/air-conditioning-and-ventilation.htm

All personnel who need to self-isolate will be contacted on a regular basis to ensure the wellbeing of our personnel and ascertain if the company can help in any way.

All personnel will be advised of best practice and guidance as and when information becomes available from Government sources.

It is deemed essential that all personnel on site wear a face mask when moving around any part of the work/office spaces until the end location has been reached, it is also essential that all visitors to the site wear face masks when entering the building

Additional Comments (Actions identified by personnel on site, to make the task safer)

1. <u>Coronavirus (COVID-19): guidance - GOV.UK</u>
https://www.gov.uk/government/collections/coronavirus-covid-19-list-of-guidance

Coronavirus (COVID-19) - NHS
 https://www.nhs.uk/conditions/coronavirus-covid-19

Working safely during coronavirus (COVID-19) - Guidance ...

https://www.gov.uk/guidance/working-safely-during-coronavirus-covid-19

<u>Coronavirus: latest information and advice - HSE news</u> <u>https://www.hse.gov.uk/news/coronavirus.htm</u>

CONSEQUENCE X LIKELIHOOD = RISK

!	5	10	15	20	25
	4	8	12	16	20
i	3	6	9	12	15
!	2	4	6	8	10
	1	2	3	4	5

16 to 25			
15			
8 to 12			
4 to 9			
1 to 3			

CATASTROPHIC - Stop activity and make immediate actions to reduce the risk UNACCEPTABLE – Urgent action required to improve

UNDESIRABLE - Actions required to improve

ACCEPTABLE - Monitor and plan to improve within specified timescale and by next review

DESIRABLE - No further action required, ensure that controls are maintained

LIKELIHOOD

Authorised by	Name:	Signed:	Date:
The Responsible			
Manager			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			

SSRA/AAL/ COVID-19	Aughton Automation – Head	Office	AUGHTON	AUTOMATION
Site Address:	115 Evans Road, Venture Business Park, Liv	erpool L24 9PB	16 Pages	
I have read & understand the Risk Assessment	Name:	Signed:		Date:
I have read & understand the Risk Assessment	Name:	Signed:		Date:
I have read & understand the Risk Assessment	Name:	Signed:		Date:
I have read & understand the Risk Assessment	Name:	Signed:		Date:
I have read & understand the Risk Assessment	Name:	Signed:		Date:
I have read & understand the Risk Assessment	Name:	Signed:		Date:
I have read & understand the Risk Assessment	Name:	Signed:		Date:
I have read & understand the Risk Assessment	Name:	Signed:		Date:
I have read & understand the Risk Assessment	Name:	Signed:		Date:
I have read & understand the Risk Assessment	Name:	Signed:		Date: