	/AAL/	Aughto	on Automati	on Limited – Head Off	ice			Aughton Automa	tio	n l	_tc	
Site Add	dress:	115 Evans F	Road, Venture	Business Park, Liverpool L	24 9	PB		16 Pages				
Date Prepar	ed	13.05.2020		Supporting Documentation: See "Further Actions" Below	-	thod teme	nt	Date Reviewed		′11/2 nthly	-	w
Project Man	ager	Keith Corcora	n		As	sess	ors	Michael Latchford				
-	<u> </u>	en to Control F	Risks from the	Hazard	Ris	sk So 1- 5		Controls required to allow task to start /continue		esidu Scor		
1	2	3	4	5	6	7	8	9	10			13
Hazard (something with the potential to cause harm)	Hazard Cause (how will the hazard be realised)	Hazard Effect (the potential injury sustained)	Who (who may be at risk during the activity)	Existing Control Measures	Consequence	Likelihood	Risk Rating	Further Control Measures	Consequence	Likelihood	Risk Rating	Acceptance
Reception Area Spread of COVID - 19	Virus contact through surfaces, through not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Visitors, Cleaners, Drivers, Contractors and Sub-contractors	Social Distancing in operation Increased hand washing Reduced number of people/ personnel in reception at any one time. Vulnerable personnel given special attention (work from home, different job) Staggering arrival and departure times of any Clients and Visitors Use of face masks when moving between other office/work areas until the end location is reached All visitors to the premises will undergo a temperature check and be asked to fill out a health questionnaire on arrival	5	3	15	Social distancing markers on floor (2 metres) Sanitizing wipes, sprays available on arrival. Any activity kept as short as possible Signs advising of hand washing and distancing. Encourage staff to report any problems All surfaces frequently cleaned and sanitised including high use items for example door handles and light switches If distancing can't be maintained PPE should be used mask, gloves Under emergency procedures the nearest exits must be used as indicated Stay Alert!!	5	1	5	Y

Design office Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Visitors, Cleaners, Drivers, Sub-contractors	Design office workers should enter through front door and go directly up stairs to avoid walking through reception and the canteen Social Distancing in operation Increased hand washing Any activity time involved as short as possible Multiple entrances for other personnel Remove the need to hot desk Reduce movement between areas of the building Use of face masks when moving between other office/work areas until the end location is reached	5	3	15	Social distancing markers on floor (2 metres) Sanitizing wipes, sprays available on arrival placed in each room Using back to back or side to side working rather than face to face Reduce the number of personnel in the office at any one time All personnel who can work from home do so All desks, computers etc cleaned on a regular basis Review work layout plans if needed If distancing can't be maintained PPE should be used mask, gloves All personnel undergo temperature check by line manager and fill out health check list Stay Alert !!	5	1	5	Y
First Floor Offices Accountants/ CPD Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Visitors, Cleaners	First floor office workers should enter through side door and go directly up the stairs to avoid walking through reception and the canteen Staggered working introduced Social Distancing in operation Increased hand washing Any activity time involved as short as possible Multiple entrances for other personnel Remove the need to hot desk Reduce movement between areas of the building Use of face masks when moving between other office/work areas until the end location is reached	5	3	15	Social distancing markers on floor (2 metres) Sanitizing wipes, sprays available on arrival placed in each room Using back to back or side to side working rather than face to face Reduce the number of personnel in the office at any one time All personnel who can work from home do so All desks, computers etc cleaned on a regular basis If distancing can't be maintained PPE should be used mask, gloves Review work layout plans if needed All personnel undergo temperature check by line manager and fill out health check list Stay Alert!!	5	1	5	Y

SSRA COV	/AAL/ ID-19	Aughto	on Automatio	on Limited – Head Of	fice			Aughton	Automa	tio	n l	_tc	1
Site Ad	dress:	115 Evans F	Road, Venture I	Business Park, Liverpool L	24 9	PB		16 Pages					
Ground floor front offices Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Cleaners, Visitors	Ground floor office personnel enter through front door Social Distancing in operation Increased hand washing All work stations assigned to individuals Signs placed advising of hand washing and social distancing Reduce movement between areas of the building Staggered working introduced Use of face masks when moving between other office/work areas until the end location is reached	5	3	15	Social distancing marke metres) Sanitizing wipes, sprays rooms Using back to back or s rather than face to face Reduce the number of p office at any one time All personnel who can v so All desks, computers et regular basis If distancing can't be ma should be used mask, g Markers on desk that sh All personnel undergo t by line manager and fill Stay Alert!!	s available in all ide to side working bersonnel in the work from home do c cleaned on a aintained PPE ploves hould not be used emperature check	5	1	5	Y

Refectory Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days Sickness,	Staff, Cleaners, Drivers, Visitors, Sub-contractors,	Social Distancing in operation Increased hand washing Number of personnel allowed in canteen at any one time limited to 4 Signs placed advising of hand washing and social distancing Markers on tables and chairs that should not be used Use of face masks when moving between other office/work areas until the end location is reached	5	3	15	Social distancing 2 metre markers on floor Sanitizing wipes, sprays available on arrival Staggered break times to allow no more than 4 personnel in the canteen All personnel to use and wash own utensils and cutlery If distancing can't be maintained PPE should be used mask, gloves Encourage all personnel to bring their own food and drink to avoid cross contamination Remove water machines to stop hand to mouth contamination Stay Alert!!	5	1	5	Y
Toilets Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Cleaners, Visitors, Drivers, Contractors, Sub- contractors	Social Distancing in operation Increased hand washing Downstairs toilets strictly for personnel on the ground floor Upstairs Toilets to be used by first floor personnel Disabled toilets to be used for disabled personnel all handles etc wiped clean on a regular basis Cleaning personnel to be involved in all site requirements and communications Use of face masks when moving between other office/work areas until the end location is reached	5	3	15	All toilets to be cleaned twice daily with "sign- off" sheets to be filled in morning and afternoon 2 metre Social Distancing markers to be applied on floor area Signs posted advising of hand washing If distancing can't be maintained PPE should be used mask, gloves Stay Alert!!	5	1	5	Y

COV	SSRA/AAL/ COVID-19 Site Address:			on Limited – Head Off				Aughton Autom	atio	on I	_tc	
Site Ad	dress:	115 Evans F	Road, Venture E	Business Park, Liverpool L	24 9	PB		16 Pages				
Calibration Laboratory & Office Area Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Cleaners, Visitors, Drivers	Ground floor back office personnel enter through side door Social Distancing in operation Increased hand washing All work stations assigned to individuals Signs placed advising of hand washing and social distancing Reduce movement between areas of the building Use of face masks when moving between other office/work areas until the end location is reached Stay alert	5	3	15	2 metre Social Distancing markers to be applied on floor area Sanitizing wipes, sprays available in all rooms Using back to back or side to side working rather than face to face Reduce the number of personnel in the office at any one time All personnel who can work from home do so All desks, computers etc cleaned on a regular basis If distancing can't be maintained PPE should be used mask, visors and gloves Markers on desk that should not be used All personnel undergo temperature check by line manager and fill out health check lis Stay Alert!!	5	1	5	Y

Construction/ Project offices Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Visitors, Cleaners, Contractors, Sub-contractors	Ground floor back office personnel enter through side door Social Distancing in operation Increased hand washing All work stations assigned to individuals Signs placed advising of hand washing and social distancing Reduce movement between areas of the building Use of face masks when moving between other office/work areas until the end location is reached Stay alert	5	3	15	Social distancing markers on floor Sanitizing wipes, sprays available in all rooms Using back to back or side to side working rather than face to face Reduce the number of personnel in the office at any one time All personnel who can work from home do so All desks, computers etc cleaned on a regular basis If distancing can't be maintained PPE should be used mask, gloves Markers on desk that should not be used All personnel undergo temperature check by line manager and fill out health check list Stay Alert!!	5	1	5	Y
Workshop/Test bays Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Visitors, Cleaners, Contractors, Sub-contractors	Ground floor personnel enter through side door Social Distancing in operation Increased hand washing Teams working in the workshop should be encouraged to stay together reducing contact time with other personnel Restrict movement between other areas of the building Reduce job location/ rotation Personnel working in kiosks/confined spaces should be working alone otherwise the use of PPE masks/gloves are essential Use of face masks when moving between other office/work areas until the end location is reached	5	3	15	Ensure all personnel use own equipment, tools etc. Encourage all personnel to bring their own lunch food etc. Signs placed advising of hand washing and social distancing If distancing can't be maintained PPE should be used mask, visors and gloves Staggered canteen breaks in operation Keep all tools materials close to the job/task at hand to avoid unnecessary movement in the workshop All personnel undergo temperature check by line manager and fill out health check list Staggered start times Stay Alert!!	5	1	5	Y

SSRA	/AAL/ ID-19	Aughto		on Limited – Head Off	ice			Aughton	Automa	tio	n l	_tc	1
Site Ad	dress:	115 Evans F	Road, Venture E	Business Park, Liverpool L	24 9	PB		16 Pages					
Conference Rooms Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Visitors, Cleaners, Contractors, Sub-contractors	Upstairs Conference rooms should be accessed through the main front door and go directly up the stairs to avoid walking through reception or refectory areas. Ground floor Conference Room can be accessed through reception area. Social Distancing in operation Increased hand washing Any activity time involved as short as possible Sanitizer/hand wipes available on arrival and in rooms Only absolutely necessary participants should attend on site meetings Limit the number of visitors at any one time Any communal phones need to be cleaned on a regular basis Use of face masks when moving between other office/work areas until the end location is reached Essential visitors only onsite	5	3	15	2 metre Social Distancin Conference Areas Use remote meetings to person meetings Avoid transmission durir share pens and other ob meeting Hold meetings in a well- area/room where possib Hand sanitising facilities Rooms In the event of any emer plan for the building take the 2-metre rule All conference rooms sh participants ant any one Consider floor plans for a Limit visit to a specific tir Stay Alert!!	a avoid person to any meetings do not bjects within the eventilated ble a in all Conference rgency the escape es precedent over hall be limited to 6 time seating	5	1	5	Y

Stores/Hire /Deliveries Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Staff, Visitors, Cleaners, Contractors, Sub-contractors	Social Distancing in operation Increased hand washing Essential wearing of gloves when receiving any materials goods from outside vendors Minimise contact with outside personnel Ask drivers to drop the item, material etc. and leave without contact If distancing can't be maintained PPE should be used mask, gloves Encourage drivers to stay in their vehicles where this does not compromise safety and safe working practice Use of face masks when moving between other office/work areas until the end location is reached	5	3	15	Maintain the same person concerning deliveries from certain suppliers Encourage personnel to report any health, skin problems etc. Rigorous checks to ensure procedures are being carried out If possible, wipe down deliveries with a bacterial wipe. Hold new deliveries in a containment area for a period of time if possible Ensure companies delivering to our premises are aware of our procedures Consider methods to reduce frequency of deliveries, order more etc. If possible one worker load and unload any vehicle Stores will be manned by the same member of personnel throughout each day to avoid unnecessary contact from different members of the team All personnel undergo temperature check by line manager and fill out health check list Stay Alert!!	5	1	5	Y	
---	--	--	--	---	---	---	----	--	---	---	---	---	--

SSRA COV	/AAL/ ID-19	Aughto	on Automatio	on Limited – Head Off	ice			Aughton	Automa	tio	n l	_tc	1
Site Ad	dress:	115 Evans F	Road, Venture E	Business Park, Liverpool L	24 9	PB		16 Pages					
Vehicles Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	Drivers/Personnel	Social Distancing in operation Increased hand washing Minimise non-essential travel consider remote options first Minimise the number of personnel travelling together in any one vehicle, used fixed travel partners. Put windows down if possible, to increase ventilation and avoid sitting face to face Contactless refuelling cards Limit exposure to large crowds and rush hours Use of face masks when moving between other office/work areas until the end location is reached Ensure drivers clean the interiors of their own vehicles	5	3	15	If travelling in a vehicle person in the vehicle fa gloves should be worn. Reduce the distant trav Ensure vehicles are cle basis. Provide clear, consister communication to impre and consistency of way Pre-agreed drop off poi Hand sanitizer and wip Fixed pairings in any ve considered When parking vehicles essential that thought is distancing Stay Alert!!	ce masks and elled if possible eaned on a regular nt and regular ove understanding rs of working ints es in vans ehicle should be or cycles it is	5	1	5	Y

SSRA/AAI COVID-19	Alighte	on Automatio	on Limited – Head Off	ice		Aughton	Automa	tio	n l	_tc	
COVID-19 Site Address:	9Augnto9115 Evans F5:115 Evans F5:Sickness, hospitalization, death6:Mild, moderate, severe or fatal7:Symptoms include – shortness of breath, fatigue 		 on Limited – Head Off Business Park, Liverpool Li Extremely Vulnerable personnel include but are not limited to: Organ Transplant Chemotherapy or antibody treatment for cancer including immunotherapy Are having intense course of radiotherapy for lung cancer Having targeted cancer treatments that can affect the immune system (such as kinase inhibitors or PARP inhibitors) Have a blood or bone marrow cancer (such as leukaemia, lymphoma or myeloma) Have had bone marrow or stem cell transplant in the past 6 months, or are still taking immunosuppressant medicine Have been told by a doctor they have severe lung condition (such as cystic fibrosis, severe asthma or COPD) Have condition that means they have a very high risk of getting infections (such as SCID or sickle cell) Are taking medicine that makes them much more likely to infection (such as doses of steroids) 		25	Always impose a minin Social Distancing. If you are at high risk fr should have received a Speak to your GP or ho you have not been con should have been Take extra care to prote Do not leave home for (Shielding) Follow Government and Stay Alert!!	num of 2 metre om Corvi-19 you letter form the NHS ospital care team if tacted or think you ect yourself any reason	5	2	_tc	Y

All Personnel Classed as Clinically Vulnerable Spread of COVID - 19	Virus contact through surfaces, from not social distancing, through bodily contact, through droplets in the air, sneezing, coughing	Sickness, hospitalization, death Mild, Moderate, severe or fatal Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around 5 days	All personnel	Clinically Vulnerable personnel include but are not limited to: People 70 or older Personnel who are pregnant Have a lung condition that's not severe (such as asthma, COPD, emphysema or bronchitis) Have heart Disease (such as heart failure) Have diabetes Chronic kidney disease Liver failure (such as hepatitis) Have a condition affecting the brain or nerves (such as Parkinson's disease, motor neurone disease, multiple sclerosis or cerebral palsy) Have a condition that means they have a high risk of getting infections Are taking medicine that can affect the immune system (such as low doses of steroids) Are very obese (a BMI of 40 or above)	5	5	25	 Follow advice on Social distancing Stay at home as much as possible, but if you can go out to work (if you can't work from home) exercise and food Increased Handwashing Staggered start times Use of PPE mask, gloves Sanitizing wipes, sprays available in all rooms Jusing back to back or side to side working rather than face to face Reduce the number of personnel in the office at any one time Teams working in the workshop should be encouraged to stay together reducing contact time with other personnel Restrict movement between other areas of the building Reduce job location/ rotation All personnel to use and wash own utensils and cutlery Do not touch your eyes, nose or mouth if your hands are not clean Follow Government and NHS guidelines Stay Alert!! 	5	2	10	Y	
--	--	--	---------------	---	---	---	----	--	---	---	----	---	--

Spread of COVID - 19bodily contact, through droplets in the air, sneezing, coughingsyndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2 - 14 days typically around 5 dayschronic heart disease, such as heart failure chronic heart disease, such as hepatitis chronic neurological conditions, such as Parkinson's disease, multiple sclerosis (MS), a learning disability or cerebral palsy diabetesTeams working in the workshop should be encouraged to stay together reducing contact time with other personnelImage: Contact index of the workshop should be encouraged to stay together reducing contact time with other personnelSpread of COVID - 19Spread of (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2 - 14 days typically around 5 daysChronic neurological conditions, such as Parkinson's disease, motor neurone disease, multiple sclerosis (MS), a learning disability or cerebral palsy diabetesTeams working in the workshop should be encouraged to stay together reducing contact time with other personnelAll personnel to use and wash own utensilsImage: Submit of the submit of th	SSRA/AAL/ COVID-19	Aughton Automati	on Limited – Head Office		Aughton Automa	tio	n l	_tc)
All Personnel Symptoms Symptoms Increased Handwashing Stay at home as much as possible, but if work (fly ou cannot	Site Address:	115 Evans Road, Venture	Business Park, Liverpool L24 9P	PB	16 Pages				
those with a weakened immune system caused by a medical condition or medications such as Do not touch your eyes, nose or mouth if	All Personnel Classed as Moderately Vulnerable Spread of COVID - 19 Virus contact through surfaces, from not social distancing, through bodily contact, through surfaces, from not social distancing, through bodily contact, through surfaces, from not social distancing, through surfaces, from not social distancing, through surfaces, frough surface	Symptoms include – shortness of breath, fatigue loss of smell and taste, some may progress to acute respiratory distress syndrome (ARDS), Multi organ failure, septic shock and blood clots, incubation period 2- 14 days typically around	Moderate risk of developing complications from coronavirus (COVID-19) infection Patients are at moderate risk of developing complications from coronavirus (COVID-19) where: They meet the criteria that make them eligible for the annual flu vaccination (except those aged 65 to 69 year old inclusive who have no other qualifying conditions) and they do not meet the CMO criteria for the high risk group for COVID- 19This includes the following patient groups: Aged 70 or older (regardless of medical conditions) Under 70 with an underlying health condition listed below (for adults this is usually anyone instructed to get a flu jab as an adult each year on medical grounds): 5 Chronic (long-term) respiratory diseases, such as asthma, chronic obstructive pulmonary disease (COPD), emphysema or bronchitis chronic heart disease, such as heart failure 5 chronic kidney disease chronic liver disease, such as hepatitis 5 chronic kidney disease, motor neurone disease, multiple sclerosis (MS), a learning disability or cerebral palsy diabetes 5		Follow advice on Social distancing Stay at home as much as possible, but if you can go out to work (if you can't work from home) exercise and food Increased Handwashing Staggered start times Use of PPE mask, gloves Sanitizing wipes, sprays available in all rooms Using back to back or side to side working rather than face to face Reduce the number of personnel in the office at any one time Teams working in the workshop should be encouraged to stay together reducing contact time with other personnel Restrict movement between other areas of the building Reduce job location/ rotation All personnel to use and wash own utensils and cutlery	5	2	10	

ALL THE BELOW ARE ALSO EXSITING MEASURES THAT HAVE BEEN IMPLEMNETED THROUGHOUT THE COMPANY

Symptoms of COVID – 19 – If anyone becomes unwell with a new continuous cough or a high temperature in the workplace they will be sent home immediately and advised to follow the stay at home guidance, line manager will maintain regular contact with the staff member during this time.

If advised that a member of staff, public or a visitor has developed COVID-19 and where recently on our premises (including where a member of staff has visited other workplaces premises such as domestic premises the management team of the workplace will contact the Public health authority to discuss the case and identify people who have been in contact with them and will take advice on any actions or precautions that should be taken

All emergency procedures are still in operation as usual regardless of COVID-19

Further DSE risk assessments have been completed on all home working personnel

It is essential that all office space/workshop remain well ventilated whilst occupied, further to recent government advice air conditioning units are now allowed to be used within the working environment please view the link attached - https://www.hse.gov.uk/coronavirus/equipment-and-machinery/air-conditioning-and-ventilation.htm

All personnel who need to self -isolate will be contacted on a regular basis to ensure the wellbeing of our personnel and ascertain if the company can help in any way.

All personnel will be advised of best practice and guidance as and when information becomes available from Government sources.

It is deemed essential that all personnel on site wear a face mask when moving around any part of the work/office spaces until the end location has been reached, it is also essential that all visitors to the site wear face masks when entering the building

SSRA/AAL/ COVID-19	Aughton A	utomation Limited – Head Office	Aughton	Automa	tion Ltd	
Site Address:	115 Evans Road	, Venture Business Park, Liverpool L24 9PB	16 Pages			
Additional Comments (Ad	ctions identified by persor	nnel on site, to make the task safer)	<u>.</u>			
	-19): guidance - GOV.UK					
https://www.gov.uk/govern	ment/collections/coron	avirus-covid-19-list-of-guidance				
<u>Coronavirus (COVID</u>	-19) - NHS					
https://www.nhs.uk/condition		19				
	5115/001011411145 00114	<u>10</u>				
Working safely during corona	avirus (COVID-19) - Guida	ince				
https://www.gov.uk/guidan						
<u>intpo.//www.gov.angulaan</u>	oo, working barory adm					
Coronavirus: latest informati	on and advice - HSE new	s				
https://www.hse.gov.uk/ne		-				
111195.// WWW.1150.gov.uk/110	<u>ws/coronavirus.num</u>					
	CONSEQU	IENCE X LIKELIHOOD = RISK				
5 10 15 20) 25 16 to 25	CATASTROPHIC - Stop activity and make immediate actions to red	duce the risk			
4 8 12 16	5 <u>20</u> 15	UNACCEPTABLE – Urgent action required to improve				
3 6 9 12	2 15 8 to 12					
2 4 6 8	10 4 to 9	ACCEPTABLE - Monitor and plan to improve within specified times	scale and by next review			
1 2 3 4	5 1 to 3	DESIRABLE - No further action required, ensure that controls are n	maintained			
LIKELIHOOD						
LIKELIHOOD						

Authorised by	Name:	Signed:	Date:
The Responsible			
Manager			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			_
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			
I have read &	Name:	Signed:	Date:
understand the Risk			
Assessment			

SSRA/AAL/ COVID-19	Aughton Automation Limited – Head Office		Aughton Automation Ltd		
Site Address:	115 Evans Road, Venture Busi	ness Park, Liverpool L24 9PB	16 Pages		
I have read & understand the Risk Assessment	Name:	Signed:	Signed:		
I have read & understand the Risk Assessment	Name:	Signed:		Date:	
I have read & understand the Risk Assessment	Name:	Signed:		Date:	
I have read & understand the Risk Assessment	Name:	Signed:		Date:	
I have read & understand the Risk Assessment	Name:	Signed:		Date:	
I have read & understand the Risk Assessment	Name:	Signed:		Date:	